

**Series 8, Built-in oven, 60 x 60 cm,  
Black  
HBG6753B1A**



**Included accessories**

1 x grill tray  
suit. pyrol. clean.  
2 x combination grid  
1 x universal pan

**Optional accessories**

HEZ327000 : Pizza stone  
HEZ530000 : Half tray  
HEZ531010 : Baking tray, non-stick ceramic coated  
HEZ625071 : Grill tray, anthracite enamelled  
HEZ632070 : Multipurpose pan, anthracite enamelled  
HEZ633001 : Lid for professional pan, enamelled anth  
HEZ634000 : Baking and roasting grid (standard)  
HEZ638370 : 3 level telescopic rails, full ext,pyro

**The built-in oven with AutoPilot:  
automatically prepares perfect dishes.**

- **Pyrolytic self-cleaning:** Automatically cleans the oven, just wipe out the ash.
- **4D Hotair:** even heat distribution on all levels for perfect baking results without mixing flavours.
- Pizza setting - ideal for preparing of frozen and home made pizza.
- **AutoPilot 10:** every dish is a perfect success thanks to 10 pre-set automatic programs.
- **2-stage telescoping rails, fully extendable:** for safe, easy insertion and removal of baking trays.

**Technical Data**

Color / Material Front : Black  
Built-in / Free-standing : Built-in  
Door opening : Drop down  
Cleaning : Pyrolytic+Hydrolytic  
Control Panel Material : Glass  
Door Material : Glass  
Dimensions (HxWxD) : 595 x 594 x 548 mm  
Dimensions of the packed product (HxWxD) : 670 x 680 x 670 mm  
Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm  
Usable volume of cavity : 71 l  
Number of interior lights : 1  
Net weight : 40.3 kg  
Gross weight : 42.8 kg  
EAN code : 4242005131433  
Connection Rating : 3600 W  
Fuse protection : 16 A  
Voltage : 220-240 V  
Frequency : 50; 60 Hz  
Length electrical supply cord : 120 cm



4 242005 131433

## Series 8, Built-in oven, 60 x 60 cm, Black HBG6753B1A

### The built-in oven with AutoPilot: automatically prepares perfect dishes.

- HBG6753B1A

#### Heating Functions

- Oven (black) with 13 heating methods:  
4D HotAir  
Defrost Full width grill 4D HotAir Eco Half width grill Top/  
bottom heating Top/bottom heating Eco Pizza setting Slow  
cooking Bottom heating Hot air grilling Preheat ovenware  
Keep warm
- Temperature range 30 °C - 300 °C

#### Hook-in racks / rails

- Number of shelf levels: 5 PC
- 2 level telescopic shelf rails, pyrolytic proof, fully extendable,  
safety stop function

#### Design

- Anthracite enamel cavity with 5 shelf positions
- Cavity volume: 71 net usable litres
- TFT Touch Symbol Display
- Oven door with SoftClose

#### Cleaning

- Pyrolytic self-cleaning function
- Low door temperature during pyrolytic cleaning
- Cleaning Assistance - cleaning option for light soiling

#### Convenience

- AutoPilot, 10 automatic programs
- Electronic clock/timer with end time programming
- Automatic temperature proposal, Residual heat indicator,  
Actual temperature display
- Automatic rapid heat function
- Halogen lighting
- Cooling fan

#### Accessories

- 1 x grill tray, suit. pyrol. clean., 2 x combination grid, 1 x  
universal pan

#### Safety and Environment

- Quadruple glazed CoolTouch door
- Maximum door temperature 30° C
- Electronic door lock, Child lock function, Automatic safety  
switch off function, Residual heat indicator, Start button, Door  
contact switch


#### Technical Info

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW

#### Dimensions

- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560  
mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the  
installation drawing


**Series 8, Built-in oven, 60 x 60 cm, Black  
HBG6753B1A**



measurements in mm

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm



measurements in mm