

iQ700, Induction cooktop, 60 cm,
Matt black,
EX67BNYV6E



HZ390522	Griddle Plate
HZ394301	Connecting strip
HZ9SE030	Set of 2 pots and 1 pan
HZ9TY010	Teppan Yaki

The modern flexInduction cooktop - for greater flexibility when cooking.

- ✓ Matt Edition – 5× fewer visible scratches ¹
- ✓ Matt Edition – The matt finish is fingerprint resistant.
- ✓ Matt Edition – Fast cleaning without streaks.
- ✓ flexInduction Plus – Smart, extendable cooking zone adapts to your cookware
- ✓ Home Connect - Integrate your cooktop into the intelligent kitchen.

Product name/family: Cooking zone ceramic
Built-in / Free-standing: Built-in
Source of energy: Electric
Total number of positions that can be used at the same time: 4
Required niche size for installation (HxWxD):51 x 560-560 x 490-500 mm
Width of the appliance: 602 mm
Dimensions (HxWxD): 51x602x520 mm
Dimensions of the packed product: 130x750x600 mm
Net weight: 14.3 kg
Gross weight: 15.5 kg
Residual heat indicator:separate
Location of control panel: Front
Basic surface material: Ceramic
Color of surface: Matt black
Length electrical supply cord: 110 cm
EAN code:4242003979914
Voltage:220-240 V
Frequency:50-60 Hz



¹ According to a comparison of Schott CERAN® matte line and standard glass-ceramic performed as an internal lab-test: subjective comparison of single persons (measurement not possible), result is related to light source, perspective, volatility and tolerances of the used sponge.

iQ700, Induction cooktop, 60 cm, Matt black, EX67BNYV6E

- 60 cm cooktop: space for 4 pots or pans

Flexibility of cooking zones

- 2 Flex zones + extended Flex zone: use cookware of any shape or size anywhere within the 40cm long zone or even place it laterally.
- Cooking zone front left: 190 mm, 230 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear left: 190 mm, 230 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear right: 190 mm, 230 mm, 2.2 KW (max power 3.7 KW)
- Cooking zone front right: 190 mm, 230 mm, 2.2 KW (max. power 3.7 KW)

Comfort & Convenience

- Directly control the power on the two blue illuminated touch bars (invisible when switched off).
- 17 power levels for each cooking zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Keep warm function: keep dishes warm at preset low power level.
- Switch-off timer: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Count-down timer: an alarm sounds at the end of the time set (e.g. for pasta).
- Count-up timer: shows how much time has passed since starting the timer (e.g. for potatoes).

Time saving & efficiency

- powerBoost for all zones: boil water faster with up to 50% more power than at the highest standard level.
- panBoost: heat up pans more quickly than at the highest standard level while protecting the pan coating.
- Cooking zones will automatically join and separate based on the shape and size of the cookware placed.
- powerMove Plus: increase or decrease the power level simply by moving the pot forwards or backwards.
- flexMotion: when moving a pot to a different cooking zone, transfer all previous settings to the new zone at the touch of a button.
- Automatic zone selection: when switched on, the cooktop automatically selects the cooking zone on which a new cookware is placed.
- When moving a pot on the Flex zone, the settings adjust instantly and the cooking zone adapts to the size of the cookware
- quickStart: Quick and automatic first pot detection: when switching on, the cooktop automatically selects the cooking zone with cookware on it.
- reStart - Quickly reinstates previous settings: in case of unintentional switch-off, restore all previous settings by switching on the cooktop again within 4 seconds.

Cooking assistance

- FryingSensor with 5 temperature settings: prevents scorching with the automatic temperature regulation of the integrated sensor.
- Cooktop Cooking Assistant (only via Home Connect App): easily find the right temperature setting for a certain dish via the Home

Connect app.

Connectivity

- Remote Monitoring and Control: check if the cooktop is switched off even when not at home, and find recipes or additional functions in the Home Connect app.
- cookConnect (with matching rangehood): automatically activates the rangehood when cooking, thanks to the WiFi connection of cooktop and suitable rangehood.

Design

- Matt Edition: elegant, matt glass design which is less susceptible to visible scratches and fingerprints.
- studioLine frame, black design
- Siemens StudioLine exclusive zone printing: minimalistic design thanks to dark coloured zone printing.

Safety


- 2-stage (h/H) digital residual heat indicator: indicates which cooking zones are still hot or warm.
- Childproof lock: prevent unintended activation of the cooktop.
- wipeProtection function: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Main switch: switch off all cooking zones at the touch of a button.
- Automatic safety switch-off: for safety reasons, heating stops after a preset time without interaction.
- Energy consumption display: shows the electricity consumption of the last cooking process.

Installation

- Dimensions of the product (HxWxD mm): 51 x 602 x 520
- Required niche size for installation (HxWxD mm) : 51 x 560 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 7.4 KW
- powerManagement Function: enables the total power of the cooktop to be limited if necessary (for suitability and installation, consult a licensed electrician).
- Power cord: 1.1 m, Cable included

iQ700, Induction cooktop, 60 cm,
Matt black,
EX67BNYV6E

Measurements in mm




C	D	E
585-600	50	≥ 35
> 600	≥ 50	≥ 50

- A: Min. distance from the hob cut-out to the wall
- B: The clearance between the surface of the worktop and the top of the front of the oven must be 30 mm
- See space requirements for the oven

The worktop into which the hob is installed must withstand loads of approx. 60 kg; suitable substructures must be used if required

Measurements in mm



A: Recessed depth

