

Benefits

Clear the air with Hob2Hood

Clear the air quickly

Low energy, long lasting LED

Easy clean touch control panel

Easy-clean filters

Features

Hob2Hood

Powerful 810m³/hr extraction rate

LED lighting

3 speed fan + Boost mode

Auto off timer

Dishwasher Safe Aluminium micro-mesh filters

Clean filter indicator

PRODUCT PROFILE

Domestic warranty details (yrs)

Type of Rangehood

Nominal width (cm)

Finish of Rangehood

Motor/Fan

Number of fans

Number of fans speeds

Auto off

Type of motor

Perimeter extraction

Maximum airflow M³/Hr

Noise level dB high

Noise level dB low

Number of motors

Wattage of motor

Dimensions

Total product height (mm)

Total product width (mm)

Total product depth (mm)

Diameter of ducting (mm)

Minimum installation height from cooking surface Gas (mm)

Minimum installation height from cooking surface Electric (mm)

Maximum canopy chimney height (mm)

Flue cover depth (mm)

Flue cover width (mm)

Telescopic flue

Power

Electricity supply required (Kw)

Controls

Control panel

Safety/ display indicators

LED speed display

Hob2Hood function

Filters

Number of filters

Type of filter

Dishwasher safe

Lights

Number of lights

Wattage of light

Type of light

Ducting / Recirculation

Ducting

Top or rear duct hole

Recirculation option

Recirculation kit

Front recirculating option

Optional extension flue

Type of filter

Filter

Number of optional filters required

Ducting diameter (mm)

SHIPPING

Shipping Volume (m3)

Shipping Weight (Kg)

Product Weight (Kg)

Pack Dimensions Height (mm)

Pack Dimension Width (mm)

Pack Dimension Depth (mm)

Stuffing Quantities

20ft

40ft

40ft HC

WRC924SD

With Hob2Hood technology, compatible rangehoods work seamlessly with your induction or
Our rangehoods offer powerful extraction rates ensuring your kitchen is clear of cooking odours,
With low energy use and a high illumination performance, long-lasting LED lights make it easy
A flat touch control panel makes the most touched surface on your rangehood even easier to
For ease and convenience, our easily removed aluminium micro-mesh filters can simply be

2
wall mounted canopy
90
mark resistant stainless steel

1
4
Yes
centrifugal
No
810
73
56
1
0.294

1160
898
505
150
620
600
1160
280
253
Yes

0.3

touch on glass controls
automatic safety cut off,clean filter indicator

Yes
Yes

3
multilayer aluminum micromesh filters
Yes

2
2.1
LED

optional accessory
top
Yes
optional accessory
No
No
Carbon
Optional
two
150

0.275
17
13.5
630
983
466

72
150
200